

**bergoz**

INSTRUMENTATION

156 rue du Mont Rond  
Espace Allondon Ouest  
01630 Saint-Genis-Pouilly  
FranceTel.: +33 450.42.66.42  
Fax.: +33 450.42.66.43  
Email : [info@bergoz.com](mailto:info@bergoz.com)**International pricelist in Euro****June 25th, 2019**

! Part Number change \*Price change

Reference Number	Designation	Price	!*#
<b>DC CURRENT TRANSFORMERS to measure current in wires</b>			
<b>Integrated Parametric CT</b>			
IPCT-xxxmA	IPCT, factory-set range: $\pm 10$ mA to $\pm 5$ A in 1-2-5 steps	2 490 €	
IPCT-xxxmA	IPCT, factory-set range $\pm 1$ mA and $\pm 5$ mA	2 830 €	
IPCT-SR-xxxxmA	Option for range other than 1-2-5 steps, e.g., $\pm 25$ mA, add	230 €	
-0.01%	High-accuracy calibration option 0.01%+-10uA	350 €	
IPCT-PS-BNC	90-245Vac power supply & BNC output for IPCT	390 €	
IPCT-CALCERT	IPCT initial certificate of Calibration w/documents	200 €	
<b>DC CURRENT TRANSFORMER TO MEASURE BEAM DC CURRENT</b>			
<b>In-flange New Parametric Current Transformer, for UHV installation in the beam line</b>			
NPCT-CF2"1/8-22.2-120-UHV-	NPCT 22.2-mm ID, DN/NW25CF, 120mm axial	43 600 €	
NPCT-CF2"3/4-34.9-120-UHV-	NPCT 34.9-mm ID, DN40/NW35CF, 120mm axial	45 260 €	
NPCT-CF3"3/8-38.0-120-UHV-	NPCT 38.0-mm ID, DN/NW50CF, 120mm axial	46 700 €	
NPCT-CF4"1/2-47.7-120-UHV-	NPCT 47.7-mm ID, DN/NW63CF, 120mm axial	50 300 €	
NPCT-CF4"1/2-60.4-120-UHV-	NPCT 60.4-mm ID, DN/NW63CF, 120mm axial	51 050 €	
NPCT-CF6"-96.0-120-UHV-	NPCT 96.0-mm ID, DN/NW100CF, 120mm axial	61 740 €	
NPCT-CF8"-147.6-120-UHV-	NPCT 147.6-mm ID, DN/NW160CF, 120mm axial	88 550 €	
NPCT-CF10"-198.4-120-UHV-	NPCT 198.4-mm ID, DN/NW200CF, 120mm axial	110 430 €	
-ARB#xxx	Non-round, arbitrary shape aperture option	1 950 €	
-316LN-	AISI 316LN option, instead of 304	1 510 €	
-CXXX-	Interconnect cable, per meter	20 €	
-RHCXXX-	Rad-tolerant interconnect cable, per meter	48 €	
-HR-	High-resolution sensor option	12 520 €	
-VHR-	Very high-resolution sensor option	18 800 €	
-H	Radiation-tolerant sensor option	1 270 €	
<b>New Parametric Current Transformer, for installation over the vacuum chamber</b>			
NPCT-055-	New-PCT sensor, >55mm ID	30 040 €	
NPCT-075-	New-PCT sensor, >75mm ID	31 210 €	
NPCT-115-	New-PCT sensor, >115mm ID	33 220 €	
NPCT-130-	New-PCT sensor, >130mm ID	33 970 €	
NPCT-175-	New-PCT sensor, >175mm ID	37 060 €	
NPCT-195-	New-PCT sensor, >195mm ID	37 850 €	
NPCT-202-	New-PCT sensor, >202mm ID	39 350 €	
NPCT-245-	New-PCT sensor, >245mm ID	42 240 €	
-CXXX-	Sensor PP cable , per meter	20 €	
-RHCXXX-	Rad-tolerant Siltem sensor cable, per meter	48 €	
-HR-	High-resolution sensor option	12 520 €	
-VHR-	Very high-resolution sensor option	18 800 €	
-H	Radiation-tolerant sensor option	1 270 €	
<b>AC CURRENT TRANSFORMERS (BW: 3 Hz up to 1 MHz)</b>			
<b>In-flange ACCT sensors, for UHV installation in the beam line</b>			
ACCT-CF3"3/8-22.2-40-UHV-	ACCT, in DN/NW50CF, 22.2mm ID, 40mm axial	12 140 €	
ACCT-CF4"1/2-34.9-40-UHV-	ACCT, in DN/NW63CF, 34.9mm ID, 40mm axial	13 300 €	

**bergoz**

INSTRUMENTATION

156 rue du Mont Rond  
Espace Allondon Ouest  
01630 Saint-Genis-Pouilly  
FranceTel.: +33 450.42.66.42  
Fax.: +33 450.42.66.43  
Email : [info@bergoz.com](mailto:info@bergoz.com)**International pricelist in Euro**  
**June 25th, 2019**

! Part Number change \*Price change

Reference Number	Designation	Price	!*#
ACCT-CF4"1/2-38.0-40-UHV-	ACCT, in DN/NW63CF, 38.0mm ID, 40mm axial	13 410 €	
ACCT-CF6"-47.7-40-UHV-	ACCT, in DN/NW100CF, 47.7mm ID, 40mm axial	13 960 €	
ACCT-CF6"-60.4-40-UHV-	ACCT, in DN/NW100CF, 60.4mm ID, 40mm axial	14 290 €	
ACCT-CF6"3/4-96.0-40-UHV-	ACCT, in DN/NW130CF, 96.0mm ID, 40mm axial	15 780 €	
ACCT-CF8"-96.0-40-UHV-	ACCT, in DN160/NW150CF, 96.0mm ID, 40mm axial	17 580 €	
ACCT-CF10"-147.6-40-UHV-	ACCT, in DN/NW200CF, 147.6mm ID, 40mm axial	27 080 €	
ACCT-CF12"-198.4-40-UHV-	ACCT, in DN/NW250CF, 198.4mm ID, 40mm axial	36 710 €	
- 2CORE	2-core ACCT sensor option	2 285 €	
-CAW1-	Calibration winding: 10 parallel 1-turn windings	520 €	
-316LN-	AISI 316LN option, instead of 304	1 440 €	
-ARB#xxx	Outer flanges arbitrary shape aperture, 50mm axial	4 490 €	
-BK150C	Bakeout at 150'C option	2 100 €	
-BK185C	Bakeout at 185'C option	2 990 €	
-BK200C	Bakeout at 200'C option	3 860 €	
-SH2L	2-layer embedded shield option	2 230 €	
-SH4L	4-layer embedded shield option	2 970 €	
-H	Radiation-tolerant sensor option	250 €	
<b>ACCT sensors, for installation over the vacuum chamber</b>			
ACCT-S-016	ACCT sensor head, 16mm ID	1 660 €	
ACCT-S-028	ACCT sensor head, 28mm ID	1 970 €	
ACCT-S-055	ACCT sensor head, 55mm ID	2 880 €	
ACCT-S-082	ACCT sensor head, 82mm ID	3 700 €	
ACCT-S-122	ACCT sensor head, 122mm ID	4 710 €	
ACCT-S-178	ACCT sensor head, 178mm ID	5 950 €	
ACCT-S-195	ACCT sensor head, 195mm ID	6 520 €	
ACCT-S-245	ACCT sensor head, 245mm ID	8 190 €	
- 2CORE	2-core ACCT sensor option	2 285 €	
-VAC-	Sensor degassing option, for vacuum > 1E-4 Mbar	300 €	
-CAW1-	Calibration winding: 10 parallel 1-turn winding	630 €	
-SH2L	2-layer embedded shield option	2 230 €	
-SH4L	4-layer embedded shield option	2 970 €	
-H	ACCT radiation-tolerant sensor	250 €	
<b>ACCT Electronics (mandatory) and cables</b>			
ACCT-E-RM-3R-xxx/yyy/zzzmA	New ACCT rail-mount electronics, 3 ranges, FS ±1mA...±2A	4 540 €	
ACCT-E-RM-xxxmA	ACCT rail-mount electronics, FS ±1mA...±2A	1 170 €	
-3M	Bandwith extended to 3MHz	250 €	
ACCT-PS-1515	ACCT rail-mount power supply	160 €	
ACCT-C-XXm	Sensor cable w/PVC jacket, XX meters, per meter	200€+18€/m	
ACCT-RHC-XXm	Rad-tolerant Siltem sensor cable, XX meters, per meter	200€+38€/m	
<b>FAST CURRENT TRANSFORMERS</b>			
<b>In-flange Fast Current Transformers, for UHV installation in the beam line</b>			
FCT-CF3"3/8-22.2-40-UHV-	FCT, in DN/NW50CF, 22.2mm ID, 40mm axial	12 140 €	
FCT-CF4"1/2-34.9-40-UHV-	FCT, in DN/NW63CF, 34.9mm ID, 40mm axial	13 300 €	

**bergoz**

INSTRUMENTATION

156 rue du Mont Rond  
Espace Allondon Ouest  
01630 Saint-Genis-Pouilly  
FranceTel.: +33 450.42.66.42  
Fax.: +33 450.42.66.43  
Email : [info@bergoz.com](mailto:info@bergoz.com)**International pricelist in Euro****June 25th, 2019**

! Part Number change \*Price change

Reference Number	Designation	Price	!*#
FCT-CF4"1/2-38.0-40-UHV-	FCT, in DN/NW63CF, 38.0mm ID, 40mm axial	13 410 €	
FCT-CF6"-47.7-40-UHV-	FCT, in DN/NW100CF, 47.7mm ID, 40mm axial	13 960 €	
FCT-CF6"-60.4-40-UHV-	FCT, in DN/NW100CF, 60.4mm ID, 40mm axial	14 290 €	
FCT-CF6"3/4-96.0-40-UHV-	FCT, in DN/NW130CF, 96.0mm ID, 40mm axial	15 780 €	
FCT-CF8"-96.0-40-UHV-	FCT, in DN160/NW150CF, 96.0mm ID, 40mm axial	17 580 €	
FCT-CF10"-147.6-40-UHV-	FCT, in DN/NW200CF, 147.6mm ID, 40mm axial	27 080 €	
FCT-CF12"-198.4-40-UHV-	FCT, in DN/NW250CF, 198.4mm ID, 40mm axial	36 710 €	
-316LN-	AISI 316LN option, instead of 304	1 440 €	
-ARB#xxx	Outer flanges arbitrary shape aperture, 50mm axial	4 390 €	
-BK150C	Bakeout at 150°C option	2 100 €	
-BK185C	Bakeout at 185°C option	2 990 €	
-BK200C	Bakeout at 200°C option	3 860 €	
-0.50-	Sensitivity 0.50 V/A in 50 ohms	no charge	
-1.25-	Sensitivity 1.25 V/A in 50 ohms	no charge	
-2.50-	Sensitivity 2.50 V/A in 50 ohms option	260 €	
-5.0-	Sensitivity 5.00 V/A in 50 ohms option	900 €	
-10.0-	Sensitivity 10.0 V/A in 50 ohms option	3 250 €	!
-20.0-	Withdrawn from catalogue, not available		
-LD-	Low-droop option	590 €	
-RFBYP	RF-bypass over ceramic option	910 €	
-CAW1-	1-turn calibration winding: not recommended		
-H	Radiation-tolerant sensor option	250 €	
<b>Fast Current Transformers, for installation over the vacuum chamber</b>			
FCT-016-	FCT, 16mm ID	1 660 €	
FCT-028-	FCT, 28mm ID	1 970 €	
FCT-055-	FCT, 55mm ID	2 880 €	
FCT-082-	FCT, 82mm ID	3 700 €	
FCT-122-	FCT, 122mm ID	4 710 €	
FCT-178-	FCT, 178mm ID	6 230 €	
FCT-195	FCT, 195mm ID	6 970 €	
FCT-245	FCT, 245mm ID	8 770 €	
-0.50-	0.50 V/A sensitivity	no charge	
-1.25-	1.25 V/A sensitivity	no charge	
-2.5-	2.5 V/A sensitivity, add	260 €	
-5.0-	5.0 V/A sensitivity, add	780 €	
-LD-	Low-droop option	630 €	
-CAW1-	1-turn calibration winding: not recommended		
-VAC-	Sensor degassing option, for vacuum > 1E-4 Mbar	290 €	
-H	Radiation-tolerant sensor option	250 €	
<b>CONTINUOUS WAVE CURRENT TRANSFORMERS AND ELECTRONICS</b>			
<b>In-flange CW Current Transformer, for UHV installation in the beam line</b>			
CWCT-CF3"3/8-22.2-40-UHV-	CWCT, in DN/NW50CF, 22.2mm ID, 40mm axial	12 140 €	
CWCT-CF4"1/2-34.9-40-UHV-	CWCT, in DN/NW63CF, 34.9mm ID, 40mm axial	13 300 €	
CWCT-CF4"1/2-38.0-40-UHV-	CWCT, in DN/NW63CF, 38.0mm ID, 40mm axial	13 410 €	

**bergoz**

INSTRUMENTATION

156 rue du Mont Rond  
Espace Allondon Ouest  
01630 Saint-Genis-Pouilly  
FranceTel.: +33 450.42.66.42  
Fax.: +33 450.42.66.43  
Email : [info@bergoz.com](mailto:info@bergoz.com)**International pricelist in Euro****June 25th, 2019**

! Part Number change \*Price change

Reference Number	Designation	Price	!*#
CWCT-CF6"-47.7-40-UHV-	CWCT, in DN/NW100CF, 47.7mm ID, 40mm axial	13 960 €	
CWCT-CF6"-60.4-40-UHV-	CWCT, in DN/NW100CF, 60.4mm ID, 40mm axial	14 290 €	
CWCT-CF6"3/4-96.0-40-UHV-	CWCT, in DN/NW130CF, 96.0mm ID, 40mm axial	15 780 €	
CWCT-CF8"-96.0-40-UHV-	CWCT, in DN160/NW150CF, 96.0mm ID, 40mm axial	17 580 €	
CWCT-CF10"-147.6-40-UHV-	CWCT, in DN/NW200CF, 147.6mm ID, 40mm axial	27 080 €	
CWCT-CF12"-198.4-40-UHV-	CWCT, in DN/NW250CF, 198.4mm ID, 40mm axial	36 710 €	
-RFBYP	RF-bypass over ceramic option	910 €	
-316LN-	AISI 316LN option, instead of 304	1 440 €	
-ARB#xxx	Outer flanges arbitrary shape aperture, 50mm axial	4 390 €	
-H	Radiation-tolerant sensor option	250 €	
-BK150C	Bakeout at 150'C option	2 100 €	
-BK185C	Bakeout at 185'C option	2 990 €	
-BK200C	Bakeout at 200'C option	3 860 €	
<b>Sensitivity option for CWCT</b>			!
-1.25-	Sensor sensitivity 1.25 V/A	no charge	!
-2.5-	Sensor sensitivity 2.5 V/A	260 €	!
-5.0-	Sensor sensitivity 5.0 V/A	900 €	!
-2CORE	Two cores instead of one core, doubles sensitivity	3 250 €	
<b>Beam Charge Monitor to measure CW and/or macropulse average current</b>			
BCM-CW-E	BCM plug-in card for CWCT	9 470 €	
BCM-RFC/	BCM RF-Shielded powered chassis w/o wired station	1 340 €	
/xx	/xx number of wired stations ( $\leq 18$ ), per wired station	270 €	
BCM-EPS-FO	Enclosure w/FO trigger daisy chain + power supply	970 €	
BCM-C-xxx	BCM SMA-SMA Radox 2-shield, PTFE connectors,xxx-m.	200€+10€/m	
BCM-RHC-xxx	BCM SMA-SMA Radox 2-shield, PEEK connectors,xxx-m.	500€+10€/m	
<b>INTEGRATING CURRENT TRANSFORMERS AND ELECTRONICS</b>			
<b>In-flange Integrating Current Transformer, for UHV installation in the beam line</b>			
ICT-CF3"3/8-22.2-40-UHV-	ICT, in DN/NW50CF, 22.2mm ID, 40mm axial	12 140 €	
ICT-CF4"1/2-34.9-40-UHV-	ICT, in DN/NW63CF, 34.9mm ID, 40mm axial	13 300 €	
ICT-CF4"1/2-38.0-40-UHV-	ICT, in DN/NW63CF, 38.0mm ID, 40mm axial	13 410 €	
ICT-CF6"-47.7-40-UHV-	ICT, in DN/NW100CF, 47.7mm ID, 40mm axial	13 960 €	
ICT-CF6"-60.4-40-UHV-	ICT, in DN/NW100CF, 60.4mm ID, 40mm axial	14 290 €	
ICT-CF6"3/4-96.0-40-UHV-	ICT, in DN/NW130CF, 96.0mm ID, 40mm axial	15 780 €	
ICT-CF8"-96.0-40-UHV-	ICT, in DN160/NW150CF, 96.0mm ID, 40mm axial	17 580 €	
ICT-CF10"-147.6-40-UHV-	ICT, in DN/NW200CF, 147.6mm ID, 40mm axial	27 080 €	
ICT-CF12"-198.4-40-UHV-	ICT, in DN/NW250CF, 198.4mm ID, 40mm axial	36 710 €	
-316LN-	AISI 316LN option, instead of 304	1 440 €	
-ARB#xxx	Outer flanges arbitrary shape aperture, 50mm axial	4 390 €	
-H	Radiation-tolerant sensor option	250 €	
-BK150C	Bakeout at 150'C option	2 100 €	
-BK185C	Bakeout at 185'C option	2 990 €	
-BK200C	Bakeout at 200'C option	3 860 €	
<b>Sensitivity options for In-flange.ICT with 70-ns output pulse, new order codes</b>			

**bergoz**

INSTRUMENTATION

156 rue du Mont Rond  
Espace Allondon Ouest  
01630 Saint-Genis-Pouilly  
FranceTel.: +33 450.42.66.42  
Fax.: +33 450.42.66.43  
Email : [info@bergoz.com](mailto:info@bergoz.com)**International pricelist in Euro**  
**June 25th, 2019**

! Part Number change \*Price change

Reference Number	Designation	Price	!*#
-0.50-	0.50 Vs/C sensitivity, 70ns output pulse	no charge	
-1.25-	1.25 Vs/C sensitivity, 70ns output pulse	no charge	
-2.50-	2.50 Vs/C sensitivity, 70ns output pulse	270 €	
-5.0-	5.00 Vs/C sensitivity, 70ns output pulse	930 €	
-10.0-	10.0 Vs/C sensitivity, 70ns output pulse (2-core)	3 350 €	
-20.0-	20.0 Vs/C sensitivity, 70ns output pulse (4-core)	Ask	
-LD	Low-droop option (available only up to 5.00 Vs/C)	600 €	
-CAW1	1-turn calibration winding, ICT with 70ns output only	900 €	
<b>"In-vacuum" ICT, for installation inside a laser-plasma vacuum enclosure</b>			
ICT-VAC-055-	In-vacuum ICT with 55mm aperture; add TurboX option	7 660 €	
ICT-VAC-082-	In-vacuum ICT with 88mm aperture; add TurboX option	8 900 €	
<b>Sensitivity options for In-flange.ICT and "in-vacuum" ICT with Turbo RF carrier output</b>			
-Turbo1	Noise 20 fC/pulse, RF carrier output	4 630 €	
-Turbo2	Noise 10 fC/pulse, RF carrier output	5 950 €	
-CALFO	BCM-RF-E FO-controlled calibrated pulse gen. option	4 050 €	
<b>"in-air" ICT, for installation over the vacuum chamber</b>			
ICT-016-	ICT, 16mm ID	3 050 €	
ICT-028-	ICT, 28mm ID	3 370 €	
ICT-055-	ICT, 55mm ID	4 690 €	
ICT-082-	ICT, 82mm ID	5 740 €	
ICT-122-	ICT, 122mm ID	6 850 €	
ICT-178-	ICT, 178mm ID	8 590 €	
ICT-195-	ICT, 195mm ID	9 060 €	
ICT-245-	ICT, 245mm ID	10 690 €	
-0.50-	0.50 Vs/C sensitivity, 70ns output pulse	no charge	
-1.25-	1.25 Vs/C sensitivity, 70ns output pulse	no charge	
-2.50-	2.50 Vs/C sensitivity, 70ns output pulse	260 €	
-5.0-	5.00 Vs/C sensitivity, 70ns output pulse	900 €	
-10.0-	10.0 Vs/C sensitivity, 70ns output pulse	3 250 €	
-VAC	Sensor degassing, "in-air" ICT only	290 €	
-H	Radiation-tolerant sensor option	250 €	
<b>Beam Charge Monitor to measure charge from ICT</b>			
BCM-IHR-E	BCM plug-in card for 70ns output pulse ICT	9 470 €	
BCM-RF-E	BCM plug-in card for In-flange.ICT with RF carrier output	9 470 €	
-2CH	BCM-RF-E 2-channels option	3 980 €	
BCM-RF-RAMP	BCM-RF remote amplifier	1 220 €	
BCM-RFC/	BCM RF-Shielded powered chassis w/o wired station	1 340 €	
/xx	/xx number of wired stations (≤12), per wired station	270 €	
BCM-EPS-FO	Enclosure w/FO trigger daisy chain + power supply	970 €	
BCM-C-xxx	SMA-SMA Radox 2-shield, PTFE connectors,xxx-m.	200€+10€/m	
BCM-RHC-xxx	SMA-SMA Radox 2-shield, PEEK connectors,xxx-	500€+10€/m	
<b>BEAM POSITION MONITORS</b>			
<b>Multiplexed Beam Position Monitor</b>			

**bergoz**

INSTRUMENTATION

156 rue du Mont Rond  
Espace Allondon Ouest  
01630 Saint-Genis-Pouilly  
FranceTel.: +33 450.42.66.42  
Fax.: +33 450.42.66.43  
Email : [info@bergoz.com](mailto:info@bergoz.com)**International pricelist in Euro**  
**June 25th, 2019**

! Part Number change \*Price change

Reference Number	Designation	Price	!*#
MX-BPM	BPM electronics module for fixed RF	3 640 €	
MX-BPM/CUS.xx	One-time customizing charge for new frequency	Ask	
<b>Log-ratio Beam Position Monitor, for single bunch, long macropulse and CW</b>			
LR-BPM	Log-ratio BPM	3 450 €	
LR-BPM-SH	Sample & Hold on X and Y	760 €	
LR-BPM-TRG	On-board beam trigger	320 €	
LR-BPM-SUM	Sum of logs output	170 €	
LR-BPM-ABCD	Direct A,B,C,D wideband outputs	Obsolete	
LR-BPM/CUS.xx	One-time customizing charge for new frequency	Ask	
<b>S-band Beam Position Monitor, for single bunch, long macropulse and CW</b>			
S-BPM	S-band BPM (1300, 2856 or 2999 MHz)	4 360 €	
S-BPM-SH	Sample & Hold on X and Y	760 €	
S-BPM-TRG	On-board beam trigger	320 €	
S-BPM-SUM	Sum of logs output	170 €	
S-BPM-ABCD	Direct A,B,C,D wideband outputs	Obsolete	
S-BPM/CUS.xx	One-time customizing charge for new frequency	Ask	
S-BPM-FEFA	S-band filter & amplifier, one per pickup	1 380 €	
S-BPM-FEFA/CUS.xx	One-time customizing charge for new frequency	Ask	
<b>Baseband Beam Position Monitor, for ions / medical accelerators</b>			
BB-BPM	Baseband Log-ratio BPM	3 540 €	
BB-BPM-TRG	On-board beam trigger	310 €	
BB-BPM-SUM	Sum of logs output	160 €	
BB-BPM-ABCD	Direct A,B,C,D wideband outputs	Obsolete	
BB-BPM/CUS.xx	One-time customizing charge for new frequency	Ask	
BB-BPM-FEFA	Baseband Front-end Filter & Amplifier high-impedance	1 700 €	
<b>BPM accessories, common to all BPMs</b>			
BPM-RFC/	BPM RF-Shielded powered chassis w/o wired station	1 580 €	
/xx	/xx number of wired stations ( $\leq 16$ ), per wired station	310 €	
BPM-RFC-ABCD/xx	SMA ABCD chassis outputs	Obsolete	
BPM-EPS	Enclosure and power supply for 1 BPM module	820 €	
BPM-LPF/1kHz	X-Y output low-pass filter 1 kHz for 1 station	Obsolete	
BPM-KIT	Table-top test kit	810 €	
BPM-XTD	Module extender	730 €	
BPM-SERV/RF	RF output service module	430 €	
BPM-SERV/CMD	TTL input service module	430 €	
BPM-BPF/500MHz	SMA-SMA band-pass filter 500 MHz	110 €	
BPM-C-xxx	SMA-SMA Radox 2-shield, PTFE connectors,xxx-m.	200€+10€/m	
BPM-RHC-xxx	SMA-SMA Radox 2-shield, PEEK connectors,xxx-	500€+10€/m	
<b>BEAM PROFILE MONITORS</b>			
VWM-S-1W-A5mm	Sensor, 1 wire, 5mm free aperture	2 490 €	
VWM-S-1W-A20mm	Sensor, 1 wire, 20mm free aperture	2 800 €	
VWM-S-1W-A40mm	Sensor, 1 wire, 40mm free aperture	3 020 €	
VWM-S-1W-A60mm	Sensor, 1 wire, 60mm free aperture	3 250 €	

**bergoz**

INSTRUMENTATION

156 rue du Mont Rond  
Espace Allondon Ouest  
01630 Saint-Genis-Pouilly  
FranceTel.: +33 450.42.66.42  
Fax.: +33 450.42.66.43  
Email : [info@bergoz.com](mailto:info@bergoz.com)**International pricelist in Euro**  
**June 25th, 2019**

! Part Number change \*Price change

Reference Number	Designation	Price	!*#
-SS	Stainless steel wire, 100um	no charge	
-B	Bronze wire, 125um	no charge	
-W	Tungsten wire, 100um	no charge	
VWM-FEE	Front-end electronics for 2 wires	1 590 €	
VWM-RFC	RF chassis for up to six 2WB circuits	3 510 €	
VWM-2WB	In-chassis board supporting 2 wires	2 270 €	
VWM-RHC/Xm	Sensor cable twisted shielded Siltem, per meter	38 €	
VWM-RJC	Front-end to chassis RJ45 cat.5 cable, max. 50m	Buy locally	
<b>BEAM LOSS MONITOR</b>			
<b>PIN-photodiode coincidence based loss detector</b>			
BLM-SE (old name BLM)	BLM with 7.34 mm <sup>2</sup> PIN-diodes, single-ended output	480 €	
BLM-DIF	BLM with 7.34 mm <sup>2</sup> PIN-diodes, differential output RJ45	600 €	
<b>RECALIBRATION SERVICES</b>			
IPCT	Incl. Calibration Certificate 12 months renewable	250 €	
MPCT-E electronics	Incl. Calibration Certificate 12 months renewable	620 €	
NPCT-E electronics	Incl. Calibration Certificate 12 months renewable	1 830 €	
BCM-IHR-E /-RF-E /-CW-E	Incl. Calibration Certificate 12 months renewable	1 500 €	
<b>FIXED-PRICE REPAIR SERVICES</b>			
<b>Electronics repairs</b>			
- IPCT	Restore to original performance, incl. calibration	850 €	
- MPCT-E	Restore to original performance, incl. calibration	1 480 €	
- NPCT-E	Restore to original performance, incl. calibration	2 170 €	
- ACCT-E-RM or ACCT-E	Restore to original performance, incl. calibration	380 €	
- BCM-IHR-E /-RF-E /-CW-E	Restore to original performance, incl. calibration	3 280 €	
- Turbo-ICT-FEFA or -RAMP	Restore to original performance, incl. calibration	520 €	
- MX-BPM-E	Restore to original performance, incl. calibration	1 250 €	
- LR-BPM-E, S-BPM-E	Restore to original performance, incl. calibration	1 110 €	
- S-BPM-FEFA	Restore to original performance, incl. calibration	460 €	
- BB-BPM-E, LR-BPPM-E	Restore to original performance, incl. calibration	1 130 €	
- BB-BPM-FEFA	Restore to original performance, incl. calibration	570 €	
- BPM-AFE, LLRF-AFE	Restore to original performance, incl. calibration	580 €	
- BLM or BLM-DIF	Restore to original performance, incl. calibration	160 €	
<b>Sensors FCT, ICT, TCT, CWCT, ACCT-S, MPCT-S or NPCT-S broken connectors</b>			
- In-air model	Restore to original performance, incl. calibration	850 €	
- In-air -H model	Restore to original performance, incl. calibration	1 160 €	
- In-flange model	Restore to original performance, incl. calibration	610 €	
- In-flange -H model	Restore to original performance, incl. calibration	920 €	
- Sensors damaged by heat or radiations		Ask	
- Sensors refurbishing		Ask	
<b>RADIATION-TOLERANT CABLES</b>			
COAX-RHC/xxx (meters)	50-ohm Radox 2-shield with PEEK SMA plugs	500€+10€/m	
TWP-RHC/xxx (meters)	Twisted pair Siltem cable with Ryton TwinBNC	200€+38€/m	
MCORE-RHC/xxx (meters)	8-pair multicore Siltem with glass-filled DB15 m/female	180€+48€/m	

**bergoz**

INSTRUMENTATION

156 rue du Mont Rond  
Espace Allondon Ouest  
01630 Saint-Genis-Pouilly  
FranceTel.: +33 450.42.66.42  
Fax.: +33 450.42.66.43  
Email : [info@bergoz.com](mailto:info@bergoz.com)**International pricelist in Euro  
June 25th, 2019**

! Part Number change \*Price change

Reference Number	Designation	Price	!*#
<b>TERMS &amp; CONDITIONS</b>			
<b>Per order</b>	Prices in Euro		
	Shipment: Ex-works Saint Genis Pouilly (France)		
	payment terms: 30 days net		
	VAT number: FR88 414 997 130		
<b>Discount per quantity</b>	Quantity	Discount	
	1 :	0%	
	2-4:	3 %	
	5-9:	7 %	
	10-24:	13 %	
	25-49:	20 %	
	100-199:	30 %	
	200+:	35 %	
<b>Recalibration and repairs:</b>			
<b>1- Product under warranty</b>			
* Bergoz Instrumentation guarantees the product purchased by the customer to be free from defect(s) resulting from the use of faulty parts or poor workmanship during its shipment, reception, installation, usage as well as repair made by the customer * The standard period of warranty is one (1) year from shipment date * The warranty includes the standard services, meaning for instance diagnostics or repair or re-calibration * The shipment of product back to factory is paid by the customer, as well as custom fees * The shipment of repaired product to customer is paid by Bergoz Instrumentation * The customer must ask for a RMA (Return Material Authorization) number to Bergoz Instrumentation or the distributor, before shipment reception, installation, usage as well as repair made by the customer			!
<b>2- Product out of warranty</b>			
* The prices from the Bergoz Instrumentation pricelist are net, with no discount * The shipment of product back to factory is paid by the customer, as well as custom fees * The shipment of repaired product to customer is paid by Bergoz Instrumentation * The customer must ask for a RMA (Return Material Authorization) number to Bergoz Instrumentation or the distributor, before shipment			!
<b>END OF PRICE LIST</b>			